

FIFTH GENERATION CENTRAL WATER PURIFIER

Meet domestic water



DOUBLE WATER
FILTER CARTRIDGE



1600L BIG FLOW



STAINLESS
STEEL MATERIAL




DON'T NEED
ELECTRICITY
NO WASTE WATER




CAR PAINTING
TECHNOLOGY



DIRECT DRINKING
PURE WATER




DON'T NEED TO
CHANGE MAIN FILTER
FOR 3 YEARS



LOW COST OF
CONSUMABLES

NET • ENJOY NEW HEIGHT

Double core deep purification, the water tastes pure




ULTRAFILTRATION WATER PURIFICATION TECHNOLOGY

the filtration accuracy is 0.01 μ m, which is equivalent to one hundred thousandth of a hair. It can filter out harmful substances in water while retaining minerals.

0.01 MICRON


water purification 201 micron water hole, no chemical substances, in order to screen according to the surface, to intercept harmful substances, to achieve controversy.



FILTRATION ACCURACY IS UP TO 0.01 MICRONS

Can effectively remove bacteria, viruses, colloids and other substances in water, colleagues retain trace elements beneficial to the human body

CAN EFFECTIVELY REMOVE THE WATER OF BACTERIAL VIRUS COLLOID SUBSTANCE WHILE PRESERVING THE TRACE ELEMENTS BENEFICIAL TO THE BODY
CAN EFFECTIVELY REMOVE THE WATER OF BACTERIAL VIRUS COLLOID SUBSTANCE WHILE PRESERVING
THE TRACE ELEMENTS BENEFICIAL TO THE BODY CAN EFFECTIVELY REMOVE THE WATER OF BACTERIAL VIRUS COLLOID
SUBSTANCE WHILE PRESERVING THE TRACE




BACTERIAL



GERMS



SCALE



RUST



RED BUG



200,000 HYDRAULIC PRESSURE TESTS

Interface double seal structure, pass dynamic test
water hammer test, higher than national standard



PRODUCT PARAMETERS AND DIMENSIONS



Item No.:NBN-U4

Item size: 480*150*280mm

N.W.: 8kg

Packing: 1pc/ctn

Pure water flow: 1000L/H

Filtration accuracy: 0.01um

Working pressure:0.1-0.4Mpa

Operating temperature: 5-38℃

Effective for silt, pesticide residue, particulates,
incrustation scale, heavy metal, residual chlorine, peculiar taste,etc.